

Highlights:

- · 3.5mm stereo jack input
- 4 x 4 channels Dante™ & AES67
- Internal mixing & DSP
- Integrated Bluetooth receiver (Version 4.2)
- · Ultra efficient cooling
- Superior sound quality & low latency

Product information:

The NWP300 is a Dante™/AES67 network input panel, featuring a single 3.5 mm stereo jack stereo input connection and an integrated Bluetooth receiver, which can be used to transmit audio signals in a Dante™ audio network.

Various further integrated DSP functions such as EQ, automatic gain control, and other device settings can be configured through the AUDAC Touch™.

The IP-based communication makes it future-proof while also being backwards compatible with many existing products. Thanks to the limited PoE power consumption, NWP300 is compatible with any PoE network-based installation.

Besides the elegant design, the front panel is finished with highquality fingerprint-resistant glass. The wall panels are compatible with standard EU-style in-wall boxes, making the wall panel the ideal solution for solid and hollow walls. Black and white colour options are available to blend into any architectural design.

Applications:

- Corporate
- Sporting facilities
- Hotels
- Education
- Government facilities
- Bars & Restaurants







Certification:

- Dante - Dante



[7] PoE

Properties:

(m) Internal mixing & EQ

Additional Inputs:

* Bluetooth

System specifications:

Inputs		Bluetooth
		3.5 mm Jack
Control		1 button - Bluetooth discoverable
Indicators		1 LED (RGB) - Bluetooth status
Configurable settings		IP settings
		Device name
		Gain
		DSP (EQ)
		Mixing
Configuration		Audac Touch™
Integrated DSP		Yes (EQ)
Automatic level control		Yes
Power	Supply	PoE powered (IEEE 802.3at)
Connectors		RJ45 (network + PoE)
		3.5 mm Jack stereo

Product Features:

Construction	ABS	
Front finish	Elegant ABS front panel with glass	
Dimensions	80 x 80 mm (W x H) (Remote wall panel)	
Colours	White (RAL9003) (NWP300)	
	Black (RAL9005) (NWP300/B)	
Compatible devices	Any Dante™/AES67 compatible audio device	
Installation standard	Compatible with EU installation materials	

Variants:

- NWP300/B Black version
- NWP300/W White version

