

Highlights:

- 2 x XLR inputs
- 3.5mm stereo jack input
- Integrated Bluetooth receiver
- Internal mixing & DSP processing
- 4-channel Dante™/AES67

Product information:

The NWP320 is a Dante™/AES67 network input panel, featuring two XLR input connectors, a single 3.5 mm stereo jack stereo input connection, and an integrated Bluetooth receiver, which can be used to transmit audio signals in a Dante™ audio network.

Various further integrated DSP functions such as EQ, automatic gain control, and other device settings can be configured through the AUDAC Touch™.

The IP-based communication makes it future-proof while also being backwards compatible with many existing products. Thanks to the limited PoE power consumption, NWP320 is compatible with any PoE network-based installation.

Besides the elegant design, the front panel is finished with high-quality fingerprint-resistant glass. The wall panels are compatible with standard EU-style in-wall boxes, making the wall panel the ideal solution for solid and hollow walls. Black and white colour options are available to blend into any architectural design.

Applications:

- Bars & Restaurants
- Education
- Hotels
- Corporate
- Sporting facilities
- Government facilities



Certification:



Properties:



Additional Inputs:



System specifications:


Inputs	2 x XLR female (in)
	3.5 mm Jack (Stereo)
Control	2 buttons - Mic / Line switching
Indicators	2 LED's (RGB) - Input status
Configurable settings	IP settings
	Device name
	Input range (Mic / Line)
	Gain
	Phantom power
	DSP (EQ)
	Mixing
Configuration	Audac Touch™
Integrated DSP	Yes (EQ)
Automatic level control	Yes
Phantom power	+48 V DC
Power Supply	PoE powered (IEEE 802.3at)
Connectors	3.5 mm Jack stereo (audio in)
	RJ45 (network + PoE)
	1 x XLR female (audio in)


Product Features:

Construction	ABS
Front finish	Elegant front panel with glass
Colours	White (RAL9003) (NWP320/W)
	Black (RAL9005) (NWP320/B)
Compatible devices	Any Dante™/AES67 compatible audio device
Dimensions	80 x 80 mm (W x H) (Remote wall panel)
Installation standard	Compatible with EU installation materials

Variants:

- NWP320/B - Black version
- NWP320/W - White version



		NWP320		Product description DANTE/AES67 NETWORKED AUDIO INPUT PANEL 2x-LR & 3.5MM JACK & BT (4CH)+ POE	
	1 : 1	80 X 80 X 55,4 mm 3,15 X 3,15 X 2,181 "	N/A	0,12 kg 0,265 lbs	